

Nav/Com, VHF Com Controls – New Products

CVC-152 VHF COM CONTROL DISPLAY



PRODUCT DESCRIPTION

Unique color LCD display capable of 8.33 or 25 kHz selection, active & standby frequencies along with NVG option. Displays command auto-tune frequencies. Improved reliability.

Nav/Com, VHF Com Controls – New Products

Features

8.33 - 25 kHz tuning, selectable
 118.000 -136.975 MHz standard frequency range
 118.000- 151.975 MHz extended frequency
 LCD color display
 NVG Compatible
 FliteLine control display
 Series III replacement display, no wiring changes
 Supports Collins – Gables 2 x 5 tuning interface
 FAA TSO-C113
 EASA ETSO-C113

Specifications

Power Requirements (Lighting) 5.0 Vac, 5.0 Vdc & 28 Vdc
 Power Consumption 280 m.amps. max.
 Bezel Colors Black & Gray
 Weight 0.77 lbs. (0.35 kg)
 Physical Dimensions 2.50 x 3.15 x 4.29 inches (63.5 X 80.01 X 108.97 mm)
 Altitude 55,000 feet (16,764 m)
 Temperature -4°F to +158°F (-20°C to + 70°C)

CONFIGURATION MATRIX, CVC-152 VHF COM CONTROL DISPLAY

CVC-152 COM CONTROL P/N	Black Faceplate	Gray Faceplate	Not NVG	NVG	28 VDC Backlight	5 VDC Backlight	5 VAC Backlight	Volume Control	No Vol Control
400-047152-0000	x		x		x			x	
400-047152-0001	x		x			x		x	
400-047152-0002	x		x		x				x

Nav/Com, VHF Com Controls – New Products

CVC-152 COM CONTROL P/N	Black Faceplate	Gray Faceplate	Not NVG	NVG	28 VDC Backlight	5 VDC Backlight	5 VAC Backlight	Volume Control	No Vol Control
400-047152-0003	x		x			x			x
400-047152-0004	x		x				x	x	
400-047152-0005	x		x				x		x
400-047152-0100	x			x	x			x	
400-047152-0101	x			x		x		x	
400-047152-0102	x			x	x				x
400-047152-0103	x			x		x			x
400-047152-0104	x			x			x	x	
400-047152-0105	x			x			x		x
400-047152-1000		x	x		x			x	
400-047152-1001		x	x			x		x	
400-047152-1002		x	x		x				x
400-047152-1003		x	x			x			x
400-047152-1004		x	x				x	x	
400-047152-1005		x	x				x		x
400-047152-1100		x		x	x			x	
400-047152-1101		x		x		x		x	
400-047152-1102		x		x	x				x
400-047152-1103		x		x		x			x
400-047152-1104		x		x			x	x	
400-047152-1105		x		x			x		x